Product data sheet

Date: May 6th 2024

QUASAR



POLLUX SUSPENSION by Jan

Pauwels

Pollux looks structured but still harmonious. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The shape is totally irregular and asymmetrical. The circuit boards have leds on both sides. 2/3 of the light is going downwards and 1/3 is going upwards.



L	280 cm110.2 inch	1017:
Н	125 cm 49.2 inch	2800
W	130 cm 51.2 inch	
		INC
CANOPY		Yes
L	59.5 cm 23.4 inch	
Н	10 cm 3.9 inch	_0_

H 10 cm 3.9 inch W 37 cm 14.6 inch

CABLELENGTH Up to 200 cm 78 inch LIGHTSOURCE 017x led, 12V/0.6W, 2800K, 30510 LM, CRI>95

INCLUDED





TYPESuspensionSTANDARD2400K.OPTIONAL2400K.TRANSFORMER/DRIVERMeanwell HLG602DIMMING0-10VCLASSIFICATIONUL no
IP20 yesENERGY LABELYEAR OF DESIGN2019

Quasar Holland BV®

Burgstraat 2 4283GG Giessen The Netherlands T. +31-(0)183-447887 info@quasar.nl www.quasar.nl